

|    |                                     |
|----|-------------------------------------|
| 品名 | 5629                                |
| 品番 | 品番 品番- EQ UIPPED-STANDARD INK-G 品 M |
| 品名 | 品 品品 品品 Imaje                       |





### IMAJE inkjet printer spare parts

| Product Name                           | Mold Number  | Product Name                          | Mold Number  |
|----------------------------------------|--------------|---------------------------------------|--------------|
| RESONATOR - G HEAD                     | 7242         | GUTTER BLOCK SINGLE JET,90 SER        | 28391        |
| AIR FILTER KIT IP 90 -series F         | A36022       | AIR FILTER FOR IMAJE 9232             | PC1572       |
| ONE WAY VALVE FOR S7/S8                | 13727        | QUADRUPLE O RING FOR IMAJE 90         | PL1531       |
| ONE WAY VALVE FOR S7/S8                | 13727        | TREBLE O RING FOR IMAJE 90 SER        | PL1530       |
| ONE WAY VALVE FOR S7/S8                | 13727        | E type S series one-way valve         | 5525-B       |
| ONE WAY VALVE FOR S7/S8                | 13727        | OUTPUT CABLE FOR IMAJE S8 POWE        | 14121-PC1273 |
| GUTTER BLOCK - SINGLE JET - EX         | 5263         | BOARD - POWER SUPPLY - AUTOMAT        | 14121-PC1271 |
| TUBE CONNECTION 1.6MM                  | PG0159       | POTENTIOMETER                         | 50145        |
| TUBE CONNECTION 1.6MM                  | PG0160       | GUTTER BLOCK TWIN JET,90 SERIES       | 28392        |
| CONNECTION BOX THREE PORT              | ENM0005      | COVER (X3) WITH SCREW-G AND M         | 6180-A       |
| EHT BLOCK                              | 10298        | PRINthead COVER FOR IMAJE S SERIES    | 6180-C       |
| TUBE CONNECTION 4.8MM                  | ENM0004      | REAR COVER GASKET FOR IMAJE S         | 5909         |
| MAKE-UP BOTTLE FOR IMAJE 0.8L          | PL0709       | PRINthead COVER GASKET FOR IMA        | 6061         |
| INK CARTRIDGE BOTTLE FOR IMAJE 0.8L    | PL0711       | REAR COVER FOR IMAJE S SERIES         | 6180-B       |
| E Type 90 series G nozzle asse         | 28270        | E Type 90 series head cover se        | PC1635       |
| GUTTER BLOCK SINGLE JET,90 SER         | 28391        | Filtro principal 9232                 | 19134        |
| S7 - 9020 MAIN FILTER                  | 17562        | CONNECTOR KIT FOR IMAJE 9040          | 7775         |
| FAN-CONDENSER                          | 20212        | CHASSIS FOR IMAJE S SERIES ELE        | 10133-PC1647 |
| FAN FOR S4/S8/9040                     | 5494         | FILTRO-COALESCEN TE-CON ANILLA        | 7765         |
| E type vacuum recovery pump /T         | 4295         | 1/4 STRAIGHT CONNECTOR FOR IMA        | 7767         |
| Type E pump nut                        | PY0253       | E type S8 coupler                     | 6562         |
| WRENCH-HEXAGONAL-CANNON                | 14434        | INPUT CABLE FOR IMAJE S8 SERIE        | 14121-PC1682 |
| WIRED FAN                              | 28370        | E type S series nozzle cap gas        | 6179         |
| S8 FILTER SCREEN -14µm - G and M HEADS | 17673        | BOARD-ADP G AND M                     | 6007         |
| S4 - S8 MAIN FILTER                    | 5934         | E type 9020 power supply board        | 36522-PC1270 |
| Original E type 9020 control b         | 6909         | FIXING RING FOR IMAJE 9232 MAI        | PC1740       |
| E type P head component                | 17467        | 9040 keyboard mask                    | 36266        |
| E type 9040 industrial interfa         | 36789        | E type 512KB memory card              | PC1777       |
| FAN FOR S4/S8/9040                     | 5494         | MAGNIFYING CIRCUIT BOARD FOR I        | 28629        |
| PROTECTION GRID-FAN                    | 6689         | COUPLER FEMALE COMPLETE M5*2.7        | 6028         |
| PROTECTOR-RESONATOR                    | 6405         | COUPLER FEMALE COMPLETE M5*1.6        | 50421        |
| HEAD COVER-M HEAD-HEAD WITH FL         | 15886        | E type S series one-way valve         | 5525         |
| GUTTER BLOCK - SINGLE JET - EX         | 5263         | CONNECTOR-RECUP/BLEED-FOR SING        | 6092         |
| EHT BLOCK                              | 10298        | PUMP CONNECTOR                        | 3199         |
| HEXAGON SCREW FOR IMAJE PUMPH          | ENM00010     | S4/S8 BLACK INK FILTER                | PG0349       |
| BOARD - POWER SUPPLY - AUTOMAT         | 14121        | OPAQUE FILTER FOR IMAJE S4/S8         | PG0350       |
| BOARD-POWER SUPPLY-110V220V-WI         | 36522        | BLACK INK FILTER FOR IMAJE 9040       | PG0351       |
| SQUARE MAGNET-10X10-FLAT ELECT         | 16713        | OPAQUE FILTER FOR IMAJE 9040          | PG0352       |
| SCREW (X 10) - KNURLED - ALUMI         | 6206         | PRE-HEAD FILTER FOR IMAJE S8          | 5570         |
| CARTRIDGE - INK FILTER - WITH          | 5553         | ENM25683 FILTER FOR PRINthead         | 25683        |
| GUTTER BLOCK TWINJET                   | 5261         | BOADR-RESON APOR SUPPLY GANDMH        | 6004         |
| PRESSURE CHAMBER TEFLON MEMBRA         | 1            | FILTER KIT FOR 9232                   | 40989        |
| E type O ring                          | PL1212       | IR FILTER KIT FOR IMAJE 9232          | PG0561       |
| PRESSURE SENSOR                        | 7682         | ELECTROVALVE VISCOMETER               | 10086        |
| E type pipe plug                       | 4485         | BOADR-RESON APOR SUPPLY GANDMH        | 11428        |
| FRONT DOOR HINGE(PAIR)                 | 7818         | TOP COVER                             | 10251        |
| HINGE(X2)-KEYBOARD                     | 7596         | LEVEL SAFETY BLOCK                    | 14123        |
| E type four connection body            | 6            | Ink circuit / Modulo de tinta         | 37251        |
| E type straight connection             | 12           | PC BOARD CHIP FOR IMAJE (S8 M         | PC1909       |
| E type gun seat adjustment cam         | 5670         | PC BOARD CHIP FOR IMAJE (S8 G         | PC1910       |
| E type gun seat locking screw          | 5678         | PC BOARD CHIP FOR IMAJE (S8 G         | PC1911       |
| E type gun seat adjusted cam (         | 5671         | PC BOARD CHIP FOR IMAJE (9040         | PC1912       |
| E S series recovery elbow (wit         | PY0287       | MOTOR-PC 9040/9232                    | 26966        |
| E type 0.8L square bottle cap          | PB0148       | RESONATOR - P HEAD                    | 17470        |
| KEYBOARD OPERATOR INT-S7 SIGMA         | 15978-2      | OPAQUE FILTER FOR IMAJE S SERIES/9040 | 6256         |
| E type gun screwdriver                 | TL0173       | Electrovalves block 4 - 9020/9        | 34044        |
| E Type 90 series G nozzle asse         | 28270-PC1423 | Electrovalves block 4 - 9232 (        | 47086        |
| IMAJE S7s KEYPAD HANDHELD TERM         | 5280         | INPUT CABLE FOR POWER SUPPLY          | 36522-PC1272 |
| COVER (X3) WITH SCREW-G AND M          | 6180         | E crystal oscillator line             | 6540         |
| MODULATION ASSEMBLY - G HEAD           | 18245        | NUT-CANNON-HEXA GONAL                 | 14433        |
| E type nozzle cover                    | 5257         | SINGLE JET IMP FOR S4                 | 19242        |
| E type 9232 main filter /Y             | 19134        | SPACER                                | 5676         |
| PRINthead FRONT COVER GASKET F         | 6179-PC1500  | E 9028 decoder                        | PL2418       |
| REAR COVER-SCREW CHc M2*6-SEAL         | 28676        | E 9018 decoder                        | PL2435       |
| KEYBOARD FOR 9020 9030                 | 28240-P      | ASSEMBLED GUTTER SENSOR               | 38973        |
| E Type 90 series recovery elbo         | PY0088       | WASH STATION MTG BRACKET ASSY         | 10012        |
| E S series front panel to indu         | 14114        | Head bracket - long                   | 7329         |
| CHASSIS FOR ELECTROEALVES BLOC         | 28992        | BOARD BACKLIT DISPLAY CONVERTER       | 17704        |
| E S series crystal locking scr         | 13870        | E type S4/S8 nozzle                   | 14431        |
| PROTECTOR-ANTIITAPONAMIENTO (*)        | 17357        | HEAD COVER-G HEAD-HEAD WITH FL        | 15885        |
| PROTECTOR-ANTIITAPONAMIENTO(*3)        | 17358        | MODULATION BODY ASSEMBLED GL          | 40038        |
| PROTECTOR-ANTIITAPONAMIENTO(*3)        | 17568        | Five pieces of E maintenance t        | TL0175       |

## COMPANY INFORMATION



One hundred years only do one thing,  
to provide the best quality and  
economical ink for all over the world's  
inkjet printers  
At cheef we possess a well-equipped  
Research and Development facility  
alongside substantial internal  
resources to offer custom-made  
products for specific request.  
Our core priority is competitive cost  
with high quality products  
and fast service.





## Payment and Shipment

### Payment

1. Generally, we accept the following payment methods: T/T; Western Union; paypal. T/T; western union. And our protection only gives the payment ways accepted by Alibaba Trade Assurance.



## Shipment

1. We will sent the items within 5days (working days, Not holiday sea for ink and about 15days for machine after receiving your payment.

2.The shipment is always by Express , air or sea .

Sea transportation: It is used for large volume of products.It is shipped from port to port.

It is the most economical shipment way, we suggest this with order more than 1cbm, the unit cost will be the cheapest.

Air transportation:It is shipped from airport to airport.Compared with sea transportation, costs are relatively higher,but it has high efficiency with about five working days.If the goods weight is more than 180kgs and you also want to receive the goods in short time, we suggest this way.

Express: It is shipped from door to door ,it is very quickly with about 5 working days,and intimate service.Normally if the goods weight is lower than 180kgs , we suggest this way.

If you have any concerns about it ,you can contact us now by email [sales@cheef.cn](mailto:sales@cheef.cn) <<mailto:sales@cheef.cn>>

3. When you receive the items you ordered, please check it carefully.Please contact us directly if you have any problems.

4. If you have not got it within the shipping time,please contact us without hesitation. We will check it for you immediately.



# التعليمات

## q1: كيفية ترتيب قطع الغيار؟

ا. تعطينا نموذج قطع الغيار أو الصور.

## q2: جميع قطع الغيار للطابعات لديك؟

ج: نحن نفعل هذه الصناعة بالفعل لأكثر من 10 سنوات. بالنسبة لمعظم الأجزاء ، يمكننا مساعدتك

## Q3: هل هذه قطع الغيار متوافقة لطابعات نفث الحبر لدينا؟

ج: نعم ، لا تقلق ، يمكن أن يتوافق مع الطابعات الكمال.

لقد اخترنا بالفعل قبل البيع إلى السوق.

## q4: يمكنني محاولة عينة؟

ج: نعم ، بالتأكيد ، يمكنك تجربة العينة وإجراء الاختبار قبل طلب بالجملة

## q5: باستثناء قطع الغيار على موقع الويب الخاص بك ، هل لديك قطع غيار أخرى؟

ج: نعم ، بالتأكيد ، نظرًا لأن كل طابعات العلامات التجارية بها مئات قطع الغيار ، فإننا لا ندرج جميعها ، لذا يمكنك الاتصال بنا وإعطائنا قائمة قطع الغيار التي تحتاجها ، وننقل إليك وفقًا لذلك.

## Q6: باستثناء قطع الغيار للطابعات ، ما هي المنتجات الأخرى التي تقدمها؟

ج: نعم ، نحن نقدم الحبر والطابعات والمكياج وطابعات العلامات التجارية المستعملة.

يمكنك الاتصال بنا للاستفسار الآن.

## q7: باستثناء توفير المنتجات ما الخدمة التي يمكنك توفير معنا؟

ج: إذا كنت بحاجة إلى بعض الدعم الفني ، ويمكننا مساعدتك ، فنحن نقوم بهذه الصناعة بالفعل لأكثر من 10 سنوات

## q8: كيف يمكننا الاتصال بك؟

ا. يرجى إرسال التحقيق لنا الآن على النحو التالي أو مراسلتنا عبر البريد الإلكتروني.

