

CO2 Laser

CO2 Laser

Technical data		Configure
Parameter	Laser	Co2 laser
	Wave length	1064nm
	Average power	10W,30W for choose
	If take optical coupler	Yes
	Modulation frequency range	20kHz~80kHz
	Red light localization	yes
Vibrating mirror	maximum speed	800mm/s
	resolution ratio	0.01mm

parameters	Repeat positioning accuracy	0.003mm
optical output	Marking Area	70×70mm(apolegamy)
	Minimum line width	0.01mm
	Min character	0.2mm
coolant passage	cooling-down method	air patenting
System Properties	Power Supply	0.5KW/AC220V/50Hz
	Environment Request	0~35° C,Humidity≤90%

- 1) ;
- 2) , , ;
- 3) , ;
- 4) 10% , , 1% ;
- 5) , , ;
- 6) , , , ,

- 1) ,

□□□□□□□□



□□□□

Q1: □□□□□□ □□□□?

A: □ □□□□□□□□□

1. □□□□

2. □□□□□□□□□□

3. □□: □□□□□□□□□□□□□□□□

□□□□□□, □□□□□□□□□□ □□ □□□.

Q2: □□ □□□□□ □□□□d □□□□□□□□

□□: □□, □□, □□□□□□□□□□□□□□□□

