

|                 |                                                         |
|-----------------|---------------------------------------------------------|
| Numéro de pièce | ENM37931                                                |
| Nom de la pièce | POMPE DE TRANSFERT 9232                                 |
| Compatible avec | pièces détachées pour imprimante à jet d'encre<br>Imaje |



CHEEF INKJET PRINTER INK MANUFACTURER



# IMAJE inkjet printer spare parts

| Product Name                           | Mold Number  | Product Name                          | Mold Number  |
|----------------------------------------|--------------|---------------------------------------|--------------|
| RESONATOR - G HEAD                     | 7242         | GUTTER BLOCK SINGLE JET,90 SER        | 28391        |
| AIR FILTER KIT IP 90 -series F         | A36022       | AIR FILTER FOR IMAJE 9232             | PC1572       |
| ONE WAY VALVE FOR S7/S8                | 13727        | QUADRUPLE O RING FOR IMAJE 90         | PL1531       |
| ONE WAY VALVE FOR S7/S8                | 13727        | TREBLE O RING FOR IMAJE 90 SER        | PL1530       |
| ONE WAY VALVE FOR S7/S8                | 13727        | E type S series one-way valve         | 5525-B       |
| ONE WAY VALVE FOR S7/S8                | 13727        | OUTPUT CABLE FOR IMAJE S8 POWE        | 14121-PC1273 |
| GUTTER BLOCK - SINGLE JET - EX         | 5263         | BOARD - POWER SUPPLY - AUTOMAT        | 14121-PC1271 |
| TUBE CONNECTION 1.6MM                  | PG0159       | POTENTIOMETER                         | 50145        |
| TUBE CONNECTION 1.6MM                  | PG0160       | GUTTER BLOCK TWIN JET,90 SERIES       | 28392        |
| CONNECTION BOX THREE PORT              | ENM0005      | COVER (X3) WITH SCREW-G AND M         | 6180-A       |
| EHT BLOCK                              | 10298        | PRINthead COVER FOR IMAJE S SERIES    | 6180-C       |
| TUBE CONNECTION 4.8MM                  | ENM0004      | REAR COVER GASKET FOR IMAJE S         | 5909         |
| MAKE-UP BOTTLE FOR IMAJE 0.8L          | PL0709       | PRINthead COVER GASKET FOR IMA        | 6061         |
| INK CARTRIDGE BOTTLE FOR IMAJE 0.8L    | PL0711       | REAR COVER FOR IMAJE S SERIES         | 6180-B       |
| E Type 90 series G nozzle asse         | 28270        | E Type 90 series head cover se        | PC1635       |
| GUTTER BLOCK SINGLE JET,90 SER         | 28391        | Filtro principal 9232                 | 19134        |
| S7 - 9020 MAIN FILTER                  | 17562        | CONNECTOR KIT FOR IMAJE 9040          | 7775         |
| FAN-CONDENSER                          | 20212        | CHASSIS FOR IMAJE S SERIES ELE        | 10133-PC1647 |
| FAN FOR S4/S8/9040                     | 5494         | FILTRO-COALESCENTE-CON ANILLA         | 7765         |
| E type vacuum recovery pump /T         | 4295         | 1/4 STRAIGHT CONNECTOR FOR IMA        | 7767         |
| Type E pump nut                        | PY0253       | E type S8 coupler                     | 6562         |
| WRENCH-HEXAGONAL-CANNON                | 14434        | INPUT CABLE FOR IMAJE S8 SERIE        | 14121-PC1682 |
| WIRED FAN                              | 28370        | E type S series nozzle cap gas        | 6179         |
| S8 FILTER SCREEN -14µm - G and M HEADS | 17673        | BOARD-ADP G AND M                     | 6007         |
| S4 - S8 MAIN FILTER                    | 5934         | E type 9020 power supply board        | 36522-PC1270 |
| Original E type 9020 control b         | 6909         | FIXING RING FOR IMAJE 9232 MAI        | PC1740       |
| E type P head component                | 17467        | 9040 keyboard mask                    | 36266        |
| E type 9040 industrial interfa         | 36789        | E type 512KB memory card              | PC1777       |
| FAN FOR S4/S8/9040                     | 5494         | MAGNIFYING CIRCUIT BOARD FOR I        | 28629        |
| PROTECTION GRID-FAN                    | 6689         | COUPLER FEMALE COMPLETE M5*2.7        | 6028         |
| PROTECTOR-RESONATOR                    | 6405         | COUPLER FEMALE COMPLETE M5*1.6        | 50421        |
| HEAD COVER-M HEAD-HEAD WITH FL         | 15886        | E type S series one-way valve         | 5525         |
| GUTTER BLOCK - SINGLE JET - EX         | 5263         | CONNECTOR-RECUP/BLEED-FOR SING        | 6092         |
| EHT BLOCK                              | 10298        | PUMP CONNECTOR                        | 3199         |
| HEXAGON SCREW FOR IMAJE PUMPH          | ENM00010     | S4/S8 BLACK INK FILTER                | PG0349       |
| BOARD - POWER SUPPLY - AUTOMAT         | 14121        | OPAQUE FILTER FOR IMAJE S4/S8         | PG0350       |
| BOARD-POWER SUPPLY-110V220V-WI         | 36522        | BLACK INK FILTER FOR IMAJE 9040       | PG0351       |
| SQUARE MAGNET-10X10-FLAT ELECT         | 16713        | OPAQUE FILTER FOR IMAJE 9040          | PG0352       |
| SCREW (X 10) - KNURLED - ALUMI         | 6206         | PRE-HEAD FILTER FOR IMAJE S8          | 5570         |
| CARTRIDGE - INK FILTER - WITH          | 5553         | ENM25683 FILTER FOR PRINthead         | 25683        |
| GUTTER BLOCK TWINJET                   | 5261         | BOADR-RESON APOR SUPPLY GANDMH        | 6004         |
| PRESSURE CHAMBER TEFLON MEMBRA         | 1            | FILTER KIT FOR 9232                   | 40989        |
| E type O ring                          | PL1212       | IR FILTER KIT FOR IMAJE 9232          | PG0561       |
| PRESSURE SENSOR                        | 7682         | ELECTROVALVE VISCOMETER               | 10086        |
| E type pipe plug                       | 4485         | BOADR-RESON APOR SUPPLY GANDMH        | 11428        |
| FRONT DOOR HINGE(PAIR)                 | 7818         | TOP COVER                             | 10251        |
| HINGE(X2)-KEYBOARD                     | 7596         | LEVEL SAFETY BLOCK                    | 14123        |
| E type four connection body            | 6            | Ink circuit / Modulo de tinta         | 37251        |
| E type straight connection             | 12           | PC BOARD CHIP FOR IMAJE (S8 M         | PC1909       |
| E type gun seat adjustment cam         | 5670         | PC BOARD CHIP FOR IMAJE (S8 G         | PC1910       |
| E type gun seat locking screw          | 5678         | PC BOARD CHIP FOR IMAJE (S8 G         | PC1911       |
| E type gun seat adjusted cam (         | 5671         | PC BOARD CHIP FOR IMAJE (9040         | PC1912       |
| E S series recovery elbow (wit         | PY0287       | MOTOR-PC 9040/9232                    | 26966        |
| E type 0.8L square bottle cap          | PB0148       | RESONATOR - P HEAD                    | 17470        |
| KEYBOARD OPERATOR INT-S7 SIGMA         | 15978-2      | OPAQUE FILTER FOR IMAJE S SERIES/9040 | 6256         |
| E type gun screwdriver                 | TL0173       | Electrovalves block 4 - 9020/9        | 34044        |
| E Type 90 series G nozzle asse         | 28270-PC1423 | Electrovalves block 4 - 9232 (        | 47086        |
| IMAJE S7s KEYPAD HANDHELD TERM         | 5280         | INPUT CABLE FOR POWER SUPPLY          | 36522-PC1272 |
| COVER (X3) WITH SCREW-G AND M          | 6180         | E crystal oscillator line             | 6540         |
| MODULATION ASSEMBLY - G HEAD           | 18245        | NUT-CANNON-HEXAGONAL                  | 14433        |
| E type nozzle cover                    | 5257         | SINGLE JET IMP FOR S4                 | 19242        |
| E type 9232 main filter /Y             | 19134        | SPACER                                | 5676         |
| PRINthead FRONT COVER GASKET F         | 6179-PC1500  | E 9028 decoder                        | PL2418       |
| REAR COVER-SCREW CHc M2*6-SEAL         | 28676        | E 9018 decoder                        | PL2435       |
| KEYBOARD FOR 9020 9030                 | 28240-P      | ASSEMBLED GUTTER SENSOR               | 38973        |
| E Type 90 series recovery elbo         | PY0088       | WASH STATION MTG BRACKET ASSY         | 10012        |
| E S series front panel to indu         | 14114        | Head bracket - long                   | 7329         |
| CHASSIS FOR ELECTROVALVES BLOC         | 28992        | BOARD BACKLIT DISPLAY CONVERTER       | 17704        |
| E S series crystal locking scr         | 13870        | E type S4/S8 nozzle                   | 14431        |
| PROTECTOR-ANTIITAPONAMIENTO (*)        | 17357        | HEAD COVER-G HEAD-HEAD WITH FL        | 15885        |
| PROTECTOR-ANTIITAPONAMIENTO(*3)        | 17358        | MODULATION BODY ASSEMBLED GL          | 40038        |
| PROTECTOR-ANTIITAPONAMIENTO(*3)        | 17568        | Five pieces of E maintenance t        | TL0175       |

## COMPANY INFORMATION



One hundred years only do one thing,  
to provide the best quality and  
economical ink for all over the world's  
inkjet printers

At cheef we possess a well-equipped  
Research and Development facility  
alongside substantial internal  
resources to offer custom-made  
products for specific request.  
Our core priority is competitive cost  
with high quality products  
and fast service.





## Payment and Shipment

### Payment

1. Generally, we accept the following payment methods: T/T; Western Union; paypal. T/T; western union. And our protection only gives the payment ways accepted by Alibaba Trade Assurance.



## Shipment

1. We will sent the items within 5days (working days, Not holiday sea for ink and about 15days for machine after receiving your payment.

2.The shipment is always by Express , air or sea .

Sea transportation: It is used for large volume of products.It is shipped from port to port.

It is the most economical shipment way, we suggest this with order more than 1cbm, the unit cost will be the cheapest.

Air transportation:It is shipped from airport to airport.Compared with sea transportation, costs are relatively higher,but it has high efficiency with about five working days.If the goods weight is more than 180kgs and you also want to receive the goods in short time, we suggest this way.

Express: It is shipped from door to door ,it is very quickly with about 5 working days,and intimate service.Normally if the goods weight is lower than 180kgs , we suggest this way.

If you have any concerns about it ,you can contact us now by email [sales@cheef.cn](mailto:sales@cheef.cn) <<mailto:sales@cheef.cn>>

3. When you receive the items you ordered, please check it carefully.Please contact us directly if you have any problems.

4. If you have not got it within the shipping time,please contact us without hesitation. We will check it for you immediately.



# FAQ

## **Q1: comment commander des pièces de rechange?**

R: donnez-nous le modèle de pièces de rechange ou d'images.

## **Q2: Toutes les pièces de rechange pour les imprimantes que vous avez?**

R: nous faisons déjà cette industrie depuis plus de 10 ans. Pour la plupart des pièces, nous pouvons vous aider!

## **Q3: ces pièces de rechange sont-elles compatibles avec nos imprimantes à jet d'encre?**

R: Oui, ne vous inquiétez pas, peut être compatible avec les imprimantes parfaites.

Nous avons déjà testé avant de vendre sur le marché.

## **Q4: puis-je essayer un échantillon?**

R: Oui, bien sûr, vous pouvez essayer l'échantillon et faire le test avant la commande en gros.

## **Q5: à l'exception des pièces de rechange sur votre site Web, avez-vous d'autres pièces de rechange?**

R: Oui, bien sûr, comme les imprimantes de chaque marque ont plus de centaines de pièces de rechange, nous ne listons pas toutes, vous pouvez donc nous contacter et nous donner la liste des pièces de rechange dont vous avez besoin, et nous vous citons en conséquence.

## **Q6: à l'exception des pièces de rechange pour imprimantes, quels autres produits fournissez-vous?**

R: Oui, nous fournissons de l'encre, du maquillage et des imprimantes, ainsi que des imprimantes de marque d'occasion.

Vous pouvez nous contacter pour l'enquête maintenant.

## **Q7: sauf fournir des produits quel service vous pouvez nous fournir?**

R: Si vous avez besoin d'un support technique et que nous pouvons vous aider, nous faisons déjà cette industrie depuis plus de 10 ans.

## **Q8: comment pouvons-nous vous contacter?**

R: Veuillez nous envoyer la demande maintenant comme ci-dessous ou nous envoyer un e-mail.



**86-512-6281-0865**



**86-138-620-19623**



**86-512-6730-1180**



**SALES@CHEEF.CN**