


Part Number	ENM10041170
Image	Image x60
Notes	



1. Part to be replaced

To replace the inkjet printer head, first, turn off the printer and unplug the power cord. Then, open the front cover and locate the inkjet printer head. Use a screwdriver to remove the screws holding the head in place. Carefully lift the head out of the printer and replace it with the new one. Finally, close the front cover and plug the power cord back in.

2. Part to be replaced

32 點

53 點

107 點

圖形顯示 300dpi 圖形顯示 點 600dpi 點 圖形顯示圖形顯示圖形顯示圖形顯示

3. 圖形顯示圖形顯示

圖形顯示圖形顯示 點 tto 圖形顯示圖形顯示 300 000 點 600 000 點 點

- 圖形顯示

- 圖形顯示

- 圖形顯示圖形顯示

- 圖形顯示圖形顯示

圖形顯示圖形顯示圖形顯示

4. 圖形顯示 TTO 圖形顯示圖形顯示

圖形顯示圖形顯示圖形顯示 TTO 圖形顯示圖形顯示 點

- 圖形顯示

- 圖形顯示圖形顯示

- 圖形顯示圖形顯示

- 圖形顯示

- 圖形顯示

- 圖形顯示

圖形顯示圖形顯示圖形顯示圖形顯示 點 圖形顯示圖形顯示圖形顯示圖形顯示圖形顯示圖形顯示

5. 圖形顯示 TTO 圖形顯示

點

1. 圖形顯示圖形顯示

2 圖形顯示圖形顯示 點 圖形顯示圖形顯示

3. 圖形顯示圖形顯示圖形顯示圖形顯示

4. 圖形顯示圖形顯示圖形顯示圖形顯示圖形顯示圖形顯示

5. 圖形顯示圖形顯示圖形顯示

