

Product classification



Domino



DOD



Hitachi



Linx



Metronic



Videojet

□□□□□□

□□	M-56906	1L / bottle12bottle /□□□□
□□	M-82807	1L / bottle12bottle /□□□□
□□	140920	1L / bottle12bottle /□□□□
□□	S / 103 / RW / 12	1L / bottle12bottle /□□□□
□□	C100002100	1L / bottle12bottle /□□□□
□□	M-82807	1L / bottle12bottle /□□□□
□□	QT-1-1	1L / bottle12bottle /□□□□
□□	QT-1	1L / bottle12bottle /□□□□
□□	CN900-Y	1L / bottle12bottle /□□□□
□□	YX-R008	1L / bottle12bottle /□□□□

□□ Imajes









Cheef®

Safety precautions:
Avoid contact with eyes.
Avoid contact with skin.
Avoid contact with clothing.
Avoid contact with surfaces.
Avoid contact with food and drink.
Avoid contact with children and pets.
Avoid contact with electrical equipment.
Avoid contact with heat sources.
Avoid contact with open flames.
Avoid contact with fire.
Avoid contact with smoke.
Avoid contact with dust.
Avoid contact with mold.
Avoid contact with mildew.
Avoid contact with bacteria.
Avoid contact with viruses.
Avoid contact with fungi.
Avoid contact with parasites.
Avoid contact with insects.
Avoid contact with animals.
Avoid contact with plants.
Avoid contact with soil.
Avoid contact with water.
Avoid contact with air.
Avoid contact with light.
Avoid contact with sound.
Avoid contact with vibration.
Avoid contact with pressure.
Avoid contact with temperature.
Avoid contact with humidity.
Avoid contact with oxygen.
Avoid contact with nitrogen.
Avoid contact with carbon dioxide.
Avoid contact with sulfur dioxide.
Avoid contact with hydrogen sulfide.
Avoid contact with ammonia.
Avoid contact with hydrochloric acid.
Avoid contact with sodium hydroxide.
Avoid contact with phosphoric acid.
Avoid contact with acetic acid.
Avoid contact with lactic acid.
Avoid contact with citric acid.
Avoid contact with ascorbic acid.
Avoid contact with malic acid.
Avoid contact with tartaric acid.
Avoid contact with succinic acid.
Avoid contact with fumaric acid.
Avoid contact with maleic acid.
Avoid contact with itaconic acid.
Avoid contact with phthalic acid.
Avoid contact with terephthalic acid.
Avoid contact with isophthalic acid.
Avoid contact with benzoic acid.
Avoid contact with salicylic acid.
Avoid contact with p-hydroxybenzoic acid.
Avoid contact with 2-hydroxybenzoic acid.
Avoid contact with 3-hydroxybenzoic acid.
Avoid contact with 4-hydroxybenzoic acid.
Avoid contact with 2,4-dihydroxybenzoic acid.
Avoid contact with 2,6-dihydroxybenzoic acid.
Avoid contact with 3,4-dihydroxybenzoic acid.
Avoid contact with 3,5-dihydroxybenzoic acid.
Avoid contact with 2,3,5-trihydroxybenzoic acid.
Avoid contact with 2,4,6-trihydroxybenzoic acid.
Avoid contact with 2,5-dihydroxyterephthalic acid.
Avoid contact with 3,4-dihydroxyterephthalic acid.
Avoid contact with 3,5-dihydroxyterephthalic acid.
Avoid contact with 4-hydroxyterephthalic acid.
Avoid contact with 2,6-dihydroxyterephthalic acid.
Avoid contact with 2,4-dihydroxyterephthalic acid.
Avoid contact with 2,5-dihydroxyisophthalic acid.
Avoid contact with 3,4-dihydroxyisophthalic acid.
Avoid contact with 3,5-dihydroxyisophthalic acid.
Avoid contact with 4-hydroxyisophthalic acid.
Avoid contact with 2,6-dihydroxyisophthalic acid.
Avoid contact with 2,4-dihydroxyisophthalic acid.
Avoid contact with 2,5-dihydroxyphthalic acid.
Avoid contact with 3,4-dihydroxyphthalic acid.
Avoid contact with 3,5-dihydroxyphthalic acid.
Avoid contact with 4-hydroxyphthalic acid.
Avoid contact with 2,6-dihydroxyphthalic acid.
Avoid contact with 2,4-dihydroxyphthalic acid.
Avoid contact with 2,5-dihydroxybenzoic acid.
Avoid contact with 3,4-dihydroxybenzoic acid.
Avoid contact with 3,5-dihydroxybenzoic acid.
Avoid contact with 4-hydroxybenzoic acid.
Avoid contact with 2,6-dihydroxybenzoic acid.
Avoid contact with 2,4-dihydroxybenzoic acid.
Avoid contact with 2,5-dihydroxyterephthalic acid.
Avoid contact with 3,4-dihydroxyterephthalic acid.
Avoid contact with 3,5-dihydroxyterephthalic acid.
Avoid contact with 4-hydroxyterephthalic acid.
Avoid contact with 2,6-dihydroxyterephthalic acid.
Avoid contact with 2,4-dihydroxyterephthalic acid.
Avoid contact with 2,5-dihydroxyisophthalic acid.
Avoid contact with 3,4-dihydroxyisophthalic acid.
Avoid contact with 3,5-dihydroxyisophthalic acid.
Avoid contact with 4-hydroxyisophthalic acid.
Avoid contact with 2,6-dihydroxyisophthalic acid.
Avoid contact with 2,4-dihydroxyisophthalic acid.
Avoid contact with 2,5-dihydroxyphthalic acid.
Avoid contact with 3,4-dihydroxyphthalic acid.
Avoid contact with 3,5-dihydroxyphthalic acid.
Avoid contact with 4-hydroxyphthalic acid.
Avoid contact with 2,6-dihydroxyphthalic acid.
Avoid contact with 2,4-dihydroxyphthalic acid.



Industrial Applications

Our ink is mainly used for famous brand of cij printer like domino, hitachi , imaje, linx , citronix and so on. Our inkjet inks can be used for a variety of applications, such as the industry of cables, electronics, pipes, plastic, pharmaceutical, construction and so on



ONE
WIRE AND CABLE INDUSTRY



TWO

ELECTRONICS INDUSTRY



THREE

PIPE INDUSTRY



FOUR

PLASTIC INDUSTRY



FIVE

DRUG INDUSTRY



00&038;00

Product packaging



COMPANY INFORMATION



One hundred years only do one thing, to provide the best quality and economical ink for all over the world's inkjet printers

At cheef we possess a well-equipped Research and Development facility alongside substantial internal resources to offer custom-made products for specific request. Our core priority is competitive cost with high quality products and fast service.





Why choose us

High quality

Quality is crucial to our business and is the fundamental reason for our success. The high quality is both in the fluids and the service that we provide to our customers and distributors. Only the highest quality raw materials and the control of the manufacturing process, can ensure each batch in the same from the first to the last .

Owr products have exceptional stability and good adhesion om various substrates including low surface energy plastics, metals, pipes & tubes, cables & wires etc.



Competitive price

Our goal is to provide our agent with high quality products at competitive prices. In order to keep prices as competitive as possible without compromising product quality, we work very hard. We have developed a close relationship with our distributors who can always offer the high quality products and the most competitive as far as possible. At chief we are proud of that we can be able to provide our customers with the products have great quality and a low price.

Fast Service

We understand that our distributors' brand and reputation is extremely important. Because of this , we are happy to private labels for our distributors. So we provide our costumers after-sales service for free.



Payment and Shipment

Payment

1. Generally, we accept the following payment methods: T/T; Western Union; paypal. T/T; western union. And our protection only gives the payment ways accepted by Alibaba Trade Assurance.



Shipment

1. We will sent the items within 5days (working days, Not holiday sea for ink and about 15days for machine after receiving your payment.

2.The shipment is always by Express , air or sea .

Sea transportation: It is used for large volume of products.It is shipped from port to port.

It is the most economical shipment way, we suggest this with order more than 1cbm, the unit cost will be the cheapest.

Air transportation:It is shipped from airport to airport.Compared with sea transportation, costs are relatively higher,but it has high efficiency with about five working days.If the goods weight is more than 180kgs and you also want to receive the goods in short time, we suggest this way.

Express: It is shipped from door to door ,it is very quickly with about 5 working days,and intimate service.Normally if the goods weight is lower than 180kgs , we suggest this way.

If you have any concerns about it ,you can contact us now by email sales@cheef.cn <<mailto:sales@cheef.cn>>

3. When you receive the items you ordered, please check it carefully.Please contact us directly if you have any problems.

4. If you have not got it within the shipping time,please contact us without hesitation. We will check it for you immediately.



FAQ

Q: I don't know your company well, how can I trust you?

A: Suzhou Cheef Technology Co., Ltd. is located in Suzhou, China. After established, we have gathered agents all over the world, for example, in USA, Canada, Pakistan, South Korea, Australia, India and Egypt, etc. Our company is strictly compliant with ISO9001-2008 quality system standards and have the awareness of sustainable development.

Q: How to pay?

A: We accept the Trade Assurance Order. Our company accepts different kinds of payment terms.

Q: How can I know if it is paid successfully?

A: We will send you a payment confirmation email upon receiving your payment.

Q: How to obtain the tracking number of shipment? And how to contact the carrier (express delivery company)?

A: We will send you the Bill of Lading or tracking number after shipping your items, hereby please keep on checking your email.

Q: If I still have questions to this product, what shall I do?

A: Please click "Inquire Now" below the page and submit your inquire or questions, we will reply you as soon as possible, or email us by sales@cheef.cn



**RETURN
HOME**

**IF YOU WANT TO CHECK OUR HOME PAGE
PLEASE CLICK HERE.**

CONTACT US AND INQUIRY NOW



86-512-6281-0865



86-512-6730-1180



86-138-620-19623



SALES@CHEEF.CN