



**Welcome to Cheef Company!**

**Our main priority:**

**Competitive Cost  
High Quality Ink  
Fast delivery**

**Give us one chance of cooperation  
Return to you one best assistant!**

# Product classification



Domino



DOD



Hitachi



Linx



Metronic



Videojet

[Detailed Images](#)









## Application



## Industrial Applications

Our ink is mainly used for famous brand of cij printer like domino, hitachi , imaje, linx , citronix and so on. Our inkjet inks can be used for a variety of applications, such as the industry of cables, electronics, pipes, plastic, pharmaceutical, construction and so on



**ONE**  
WIRE AND CABLE INDUSTRY



# TWO

ELECTRONICS INDUSTRY



# THREE

PIPE INDUSTRY





# FOUR

PLASTIC INDUSTRY



# FIVE

DRUG INDUSTRY



## Packaging & Shipping

## Product packaging



## Company Information



# COMPANY INFORMATION



One hundred years only do one thing, to provide the best quality and economical ink for all over the world's inkjet printers

At cheef we possess a well-equipped Research and Development facility alongside substantial internal resources to offer custom-made products for specific request. Our core priority is competitive cost with high quality products and fast service.







# Test reports and Certifications

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

客户名称: 阿克苏诺贝尔  
地址: 阿克苏诺贝尔  
检测地点: 阿克苏诺贝尔

报告日期: 2019/05/02 - 2019/05/02

客户名称: 阿克苏诺贝尔  
地址: 阿克苏诺贝尔  
检测地点: 阿克苏诺贝尔

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 重金属 (RE)  
测试方法: ICP-OES  
测试结果: 符合标准

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 挥发性有机物 (VOCs)  
测试方法: GC-MS  
测试结果: 符合标准

项目	单位	结果	标准
苯	mg/kg	100	< 100
甲苯	mg/kg	100	< 100
二甲苯	mg/kg	100	< 100
乙苯	mg/kg	100	< 100
苯乙烯	mg/kg	100	< 100
邻二甲苯	mg/kg	100	< 100
间二甲苯	mg/kg	100	< 100
对二甲苯	mg/kg	100	< 100
叔丁基苯	mg/kg	100	< 100
异丙基苯	mg/kg	100	< 100
正己烷	mg/kg	100	< 100
正庚烷	mg/kg	100	< 100
正辛烷	mg/kg	100	< 100
正壬烷	mg/kg	100	< 100
正癸烷	mg/kg	100	< 100
正十一烷	mg/kg	100	< 100
正十二烷	mg/kg	100	< 100
正十三烷	mg/kg	100	< 100
正十四烷	mg/kg	100	< 100
正十五烷	mg/kg	100	< 100
正十六烷	mg/kg	100	< 100
正十七烷	mg/kg	100	< 100
正十八烷	mg/kg	100	< 100
正十九烷	mg/kg	100	< 100
正二十烷	mg/kg	100	< 100

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 挥发性有机物 (VOCs)  
测试方法: GC-MS  
测试结果: 符合标准

项目	单位	结果	标准
苯	mg/kg	100	< 100
甲苯	mg/kg	100	< 100
二甲苯	mg/kg	100	< 100
乙苯	mg/kg	100	< 100
苯乙烯	mg/kg	100	< 100
邻二甲苯	mg/kg	100	< 100
间二甲苯	mg/kg	100	< 100
对二甲苯	mg/kg	100	< 100
叔丁基苯	mg/kg	100	< 100
异丙基苯	mg/kg	100	< 100
正己烷	mg/kg	100	< 100
正庚烷	mg/kg	100	< 100
正辛烷	mg/kg	100	< 100
正壬烷	mg/kg	100	< 100
正癸烷	mg/kg	100	< 100
正十一烷	mg/kg	100	< 100
正十二烷	mg/kg	100	< 100
正十三烷	mg/kg	100	< 100
正十四烷	mg/kg	100	< 100
正十五烷	mg/kg	100	< 100
正十六烷	mg/kg	100	< 100
正十七烷	mg/kg	100	< 100
正十八烷	mg/kg	100	< 100
正十九烷	mg/kg	100	< 100
正二十烷	mg/kg	100	< 100

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 挥发性有机物 (VOCs)  
测试方法: GC-MS  
测试结果: 符合标准

```

    graph TD
    A[苯] --> B[合格]
    B --> C[甲苯]
    C --> D[合格]
    D --> E[二甲苯]
    E --> F[合格]
    F --> G[乙苯]
    G --> H[合格]
    H --> I[苯乙烯]
    I --> J[合格]
    J --> K[邻二甲苯]
    K --> L[合格]
    L --> M[间二甲苯]
    M --> N[合格]
    N --> O[对二甲苯]
    O --> P[合格]
    P --> Q[叔丁基苯]
    Q --> R[合格]
    R --> S[异丙基苯]
    S --> T[合格]
    T --> U[正己烷]
    U --> V[合格]
    V --> W[正庚烷]
    W --> X[合格]
    X --> Y[正辛烷]
    Y --> Z[合格]
    Z --> AA[正壬烷]
    AA --> AB[合格]
    AB --> AC[正癸烷]
    AC --> AD[合格]
    AD --> AE[正十一烷]
    AE --> AF[合格]
    AF --> AG[正十二烷]
    AG --> AH[合格]
    AH --> AI[正十三烷]
    AI --> AJ[合格]
    AJ --> AK[正十四烷]
    AK --> AL[合格]
    AL --> AM[正十五烷]
    AM --> AN[合格]
    AN --> AO[正十六烷]
    AO --> AP[合格]
    AP --> AQ[正十七烷]
    AQ --> AR[合格]
    AR --> AS[正十八烷]
    AS --> AT[合格]
    AT --> AU[正十九烷]
    AU --> AV[合格]
    AV --> AW[正二十烷]
    AW --> AX[合格]
    
```

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 挥发性有机物 (VOCs)  
测试方法: GC-MS  
测试结果: 符合标准

```

    graph TD
    A[苯] --> B[合格]
    B --> C[甲苯]
    C --> D[合格]
    D --> E[二甲苯]
    E --> F[合格]
    F --> G[乙苯]
    G --> H[合格]
    H --> I[苯乙烯]
    I --> J[合格]
    J --> K[邻二甲苯]
    K --> L[合格]
    L --> M[间二甲苯]
    M --> N[合格]
    N --> O[对二甲苯]
    O --> P[合格]
    P --> Q[叔丁基苯]
    Q --> R[合格]
    R --> S[异丙基苯]
    S --> T[合格]
    T --> U[正己烷]
    U --> V[合格]
    V --> W[正庚烷]
    W --> X[合格]
    X --> Y[正辛烷]
    Y --> Z[合格]
    Z --> AA[正壬烷]
    AA --> AB[合格]
    AB --> AC[正癸烷]
    AC --> AD[合格]
    AD --> AE[正十一烷]
    AE --> AF[合格]
    AF --> AG[正十二烷]
    AG --> AH[合格]
    AH --> AI[正十三烷]
    AI --> AJ[合格]
    AJ --> AK[正十四烷]
    AK --> AL[合格]
    AL --> AM[正十五烷]
    AM --> AN[合格]
    AN --> AO[正十六烷]
    AO --> AP[合格]
    AP --> AQ[正十七烷]
    AQ --> AR[合格]
    AR --> AS[正十八烷]
    AS --> AT[合格]
    AT --> AU[正十九烷]
    AU --> AV[合格]
    AV --> AW[正二十烷]
    AW --> AX[合格]
    
```

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 挥发性有机物 (VOCs)  
测试方法: GC-MS  
测试结果: 符合标准

```

    graph TD
    A[苯] --> B[合格]
    B --> C[甲苯]
    C --> D[合格]
    D --> E[二甲苯]
    E --> F[合格]
    F --> G[乙苯]
    G --> H[合格]
    H --> I[苯乙烯]
    I --> J[合格]
    J --> K[邻二甲苯]
    K --> L[合格]
    L --> M[间二甲苯]
    M --> N[合格]
    N --> O[对二甲苯]
    O --> P[合格]
    P --> Q[叔丁基苯]
    Q --> R[合格]
    R --> S[异丙基苯]
    S --> T[合格]
    T --> U[正己烷]
    U --> V[合格]
    V --> W[正庚烷]
    W --> X[合格]
    X --> Y[正辛烷]
    Y --> Z[合格]
    Z --> AA[正壬烷]
    AA --> AB[合格]
    AB --> AC[正癸烷]
    AC --> AD[合格]
    AD --> AE[正十一烷]
    AE --> AF[合格]
    AF --> AG[正十二烷]
    AG --> AH[合格]
    AH --> AI[正十三烷]
    AI --> AJ[合格]
    AJ --> AK[正十四烷]
    AK --> AL[合格]
    AL --> AM[正十五烷]
    AM --> AN[合格]
    AN --> AO[正十六烷]
    AO --> AP[合格]
    AP --> AQ[正十七烷]
    AQ --> AR[合格]
    AR --> AS[正十八烷]
    AS --> AT[合格]
    AT --> AU[正十九烷]
    AU --> AV[合格]
    AV --> AW[正二十烷]
    AW --> AX[合格]
    
```

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 挥发性有机物 (VOCs)  
测试方法: GC-MS  
测试结果: 符合标准

```

    graph TD
    A[苯] --> B[合格]
    B --> C[甲苯]
    C --> D[合格]
    D --> E[二甲苯]
    E --> F[合格]
    F --> G[乙苯]
    G --> H[合格]
    H --> I[苯乙烯]
    I --> J[合格]
    J --> K[邻二甲苯]
    K --> L[合格]
    L --> M[间二甲苯]
    M --> N[合格]
    N --> O[对二甲苯]
    O --> P[合格]
    P --> Q[叔丁基苯]
    Q --> R[合格]
    R --> S[异丙基苯]
    S --> T[合格]
    T --> U[正己烷]
    U --> V[合格]
    V --> W[正庚烷]
    W --> X[合格]
    X --> Y[正辛烷]
    Y --> Z[合格]
    Z --> AA[正壬烷]
    AA --> AB[合格]
    AB --> AC[正癸烷]
    AC --> AD[合格]
    AD --> AE[正十一烷]
    AE --> AF[合格]
    AF --> AG[正十二烷]
    AG --> AH[合格]
    AH --> AI[正十三烷]
    AI --> AJ[合格]
    AJ --> AK[正十四烷]
    AK --> AL[合格]
    AL --> AM[正十五烷]
    AM --> AN[合格]
    AN --> AO[正十六烷]
    AO --> AP[合格]
    AP --> AQ[正十七烷]
    AQ --> AR[合格]
    AR --> AS[正十八烷]
    AS --> AT[合格]
    AT --> AU[正十九烷]
    AU --> AV[合格]
    AV --> AW[正二十烷]
    AW --> AX[合格]
    
```

SGS logo and certification details at the bottom.

**SGS**

测试报告 No. SHAC2000402 (18 2019/05/02) 846,748

测试项目: 挥发性有机物 (VOCs)  
测试方法: GC-MS  
测试结果: 符合标准

SHAC1306361602

阿克苏诺贝尔  
阿克苏诺贝尔

SGS logo and certification details at the bottom.



## Why Choose Us

# Why choose us

### High quality ○

Quality is crucial to our business and is the fundamental reason for our success. The high quality is both in the fluids and the service that we provide to our customers and distributors. Only the highest quality raw materials and the control of the manufacturing process, can ensure each batch in the same from the first to the last .

Owr products have exceptional stability and good adhesion om various substrates including low surface energy plastics, metals, pipes & tubes, cables & wires etc.



### Competitive price

Our goal is to provide our agent with high quality products at competitive prices. In order to keep prices as competitive as possible without compromising product quality, we work very hard. We have developed a close relationship with our distributors who can always offer the high quality products and the most competitive as far as possible. At chief we are proud of that we can be able to provide our customers with the products have great quality and a low price.

### Fast Service ○

We understand that our distributors' brand and reputation is extremely important. Because of this , we are happy to private labels for our distributors. So we provide our costumers after-sales service for free.



## Payment and Shipment

# Payment and Shipment

## Payment

1. Generally, we accept the following payment methods: T/T; Western Union; paypal. T/T; western union. And our protection only gives the payment ways accepted by Alibaba Trade Assurance.





## Shipment

1. We will sent the items within 5days (working days, Not holiday sea for ink and about 15days for machine after receiving your payment.

2.The shipment is always by Express , air or sea .

Sea transportation: It is used for large volume of products.It is shipped from port to port.

It is the most economical shipment way, we suggest this with order more than 1cbm, the unit cost will be the cheapest.

Air transportation:It is shipped from airport to airport.Compared with sea transportation, costs are relatively higher,but it has high efficiency with about five working days.If the goods weight is more than 180kgs and you also want to receive the goods in short time, we suggest this way.

Express: It is shipped from door to door ,it is very quickly with about 5 working days,and intimate service.Normally if the goods weight is lower than 180kgs , we suggest this way.

If you have any concerns about it ,you can contact us now by email [sales@cheef.cn](mailto:sales@cheef.cn) <<mailto:sales@cheef.cn>>

3. When you receive the items you ordered, please check it carefully.Please contact us directly if you have any problems.

4. If you have not got it within the shipping time,please contact us without hesitation. We will check it for you immediately.



## FAQ

**Q1:What is your main products of ink?**

A:Cheef ink manufactures a full line of high quality, low cost alternative inks, makeup, and cleaners for Continuous Ink Jet (CIJ), Drop on Demand (DOD) and High-Resolution industrial printers and coders. Innovative technology is the core of our business, and our inks are trusted alternatives to products from many OEMs including Videojet, Domino, Imaje, Marsh, Citronix, Linx ,Metronic,Rottweil,and more.

**Q2:Which products your ink can be used ?**

A:Cheef ink can used on metal, glass, PVC, other plastics, and laminated paper with pigmented inks for use on darker substrates and available in white, gray, silver, and light blue,and so on.

**Q3:Is your ink compatible?**

A:Yes ,cheef ink can develop the inks for use in your current coding and marking equipment. Whether the ink you've been using is out of stock, been discontinued, too costly or under performing, we can replicate and improve upon OEM manufactured ink. The most important is these inks are guaranteed compatible with your equipment. Just change out the ink, possibly run a flush, and you're ready to go.

**Q4:How is your ink quality?**

A:All of our inks are developed in our on-site lab which enables us to design and manufacture inks and fluids for the most difficult applications. We use only the highest quality dyes, pigments and materials in our inks.Our Custom ink successfully cover the most demanding manufacturing requirements. Our dye-based CIJ inks is suitable for most applications and is available in a vast range of solvents and colors.

**Q5:How many colors of your ink?**

A:We can produce the ink according to your request , and customize your color of ink, and make your own private label.

Our soft-pigmented CIJ inks deliver codes in intense colors such as yellow, red, and green, using a standard printer.



**Q6:What is main priority of your ink?**

A:At cheef Ink we possess a well-equipped Research and Development facility alongside substantial internal resources to offer custom-made products for specific applications.

DOD inks are carefully formulated using a four-stage filtration process, ensuring no sediment, sludge or residue. This minimizes print head maintenance and results in less downtime.

Cheef ink takes great pride in the high-quality, innovative ink solutions we've developed using our tested and proved R&D process methodology.Special ink applications include:UN-erased glass inks,high adhesion ink on PPR,PE pipe,High temperature ink,Non-transfer inks for cable and wire printing,Custom ink development for special applications,Hard pigmented white, blue and green inks

**Q8:For the first time ,how can I trust you?**

A:Firstly,we think trust are built by little and little, for the first time, you can try a little sample from us, to check our ink quality and check our service,and after the experience, we believe you will like us and be willing to let us be your partner,the most important thing is ,we think business is for long time, not just only once,so ,every client , we treat them as our long time cooperater, it is our company culture.Just contact us now to try it.

**Q9:Except products, what you can provide with us?**

A:Our engineers are available with 24-hours hot-line to give you technical assist, we can solve issues within a wide area ranging from the traditional printing or marking methods to providing high-tech ink-jet fluids,characterization and optimization of various properties including print quality and functional performance.

**Q10:How we can contact you?**

A:You can give us inquiry as below on alibaba, or contact us by below method.

## How to contact us



**RETURN  
HOME**

**IF YOU WANT TO CHECK OUR HOME PAGE  
PLEASE CLICK HERE.**

**CONTACT US AND INQUIRY NOW**



**86-512-6281-0865**



**86-512-6730-1180**



**86-138-620-19623**



**SALES@CHEEF.CN**