

for willett printing ink black



Welcome to Cheef Company!

经营理念
品质至上 诚信服务

Our main priority:

- Competitive Cost
- High Quality Ink
- Fast delivery

**Give us one chance of cooperation
Return to you one best assistant!**

Product classification



Domino



DOD



Hitachi



Linx



Metronic



Videojet

[Detailed Images](#)









Application

Industrial Applications

Our ink is mainly used for famous brand of cij printer like domino, hitachi , imaje, linx , citronix and so on. Our inkjet inks can be used for a variety of applications, such as the industry of cables, electronics, pipes, plastic, pharmaceutical, construction and so on



ONE
WIRE AND CABLE INDUSTRY



TWO

ELECTRONICS INDUSTRY



THREE

PIPE INDUSTRY



FOUR

PLASTIC INDUSTRY



FIVE

DRUG INDUSTRY



Packaging & Shipping

Product packaging



Company Information

COMPANY INFORMATION



One hundred years only do one thing, to provide the best quality and economical ink for all over the world's inkjet printers

At cheef we possess a well-equipped Research and Development facility alongside substantial internal resources to offer custom-made products for specific request. Our core priority is competitive cost with high quality products and fast service.





Test reports and Certifications

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

客戶名稱: 上海福佑輪船有限公司

項目: 船殼鋼材

規格: ST-42

尺寸: 1000mm x 500mm x 10mm

地點: 中國上海

日期: 2015年08月19日

客戶地址: 上海福佑輪船有限公司
中國上海

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)
夏比衝擊 (Charpy Impact)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22
夏比衝擊 (KV2)	J	50	50

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)
夏比衝擊 (Charpy Impact)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22
夏比衝擊 (KV2)	J	50	50

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22

SGS 標誌

SGS

測試報告 No. S44C0006402 (CN 2015081901) S44,239

測試項目: 屈服強度 (Yield Strength)
抗拉強度 (Tensile Strength)
斷面收縮率 (Elongation)

測試結果:

項目	單位	結果	規格
屈服強度 (ReL)	N/mm²	355	355
屈服強度 (Rp0.2)	N/mm²	355	355
抗拉強度 (Rm)	N/mm²	475	475
斷面收縮率 (A5)	%	22	22

SGS 標誌

Why Choose Us

Why choose us

High quality

Quality is crucial to our business and is the fundamental reason for our success. The high quality is both in the fluids and the service that we provide to our customers and distributors. Only the highest quality raw materials and the control of the manufacturing process, can ensure each batch in the same from the first to the last .

Owr products have exceptional stability and good adhesion om various substrates including low surface energy plastics, metals, pipes & tubes, cables & wires etc.



Competitive price

Our goal is to provide our agent with high quality products at competitive prices. In order to keep prices as competitive as possible without compromising product quality, we work very hard. We have developed a close relationship with our distributors who can always offer the high quality products and the most competitive as far as possible. At chief we are proud of that we can be able to provide our customers with the products have great quality and a low price.

Fast Service

We understand that our distributors' brand and reputation is extremely important. Because of this , we are happy to private labels for our distributors. So we provide our costumers after-sales service for free.



Payment and Shipment

Payment and Shipment

Payment

1. Generally, we accept the following payment methods: T/T; Western Union; paypal. T/T; western union. And our protection only gives the payment ways accepted by Alibaba Trade Assurance.



Shipment

1. We will sent the items within 5days (working days, Not holiday sea for ink and about 15days for machine after receiving your payment.

2.The shipment is always by Express , air or sea .

Sea transportation: It is used for large volume of products.It is shipped from port to port.

It is the most economical shipment way, we suggest this with order more than 1cbm, the unit cost will be the cheapest.

Air transportation:It is shipped from airport to airport.Compared with sea transportation, costs are relatively higher,but it has high efficiency with about five working days.If the goods weight is more than 180kgs and you also want to receive the goods in short time, we suggest this way.

Express: It is shipped from door to door ,it is very quickly with about 5 working days,and intimate service.Normally if the goods weight is lower than 180kgs , we suggest this way.

If you have any concerns about it ,you can contact us now by email sales@cheef.cn <<mailto:sales@cheef.cn>>

3. When you receive the items you ordered, please check it carefully.Please contact us directly if you have any problems.

4. If you have not got it within the shipping time,please contact us without hesitation. We will check it for you immediately.



FAQ

Q1:What is your main products of ink?

A:Cheef ink manufactures a full line of high quality, low cost alternative inks, makeup, and cleaners for Continuous Ink Jet (CIJ), Drop on Demand (DOD) and High-Resolution industrial printers and coders. Innovative technology is the core of our business, and our inks are trusted alternatives to products from many OEMs including Videojet, Domino, Imaje, Marsh, Citronix, Linx ,Metronic,Rottweil,and more.

Q2:Which products your ink can be used ?

A:Cheef ink can used on metal, glass, PVC, other plastics, and laminated paper with pigmented inks for use on darker substrates and available in white, gray, silver, and light blue,and so on.

Q3:Is your ink compatible?

A:Yes ,cheef ink can develop the inks for use in your current coding and marking equipment. Whether the ink you've been using is out of stock, been discontinued, too costly or under performing, we can replicate and improve upon OEM manufactured ink. The most important is these inks are guaranteed compatible with your equipment. Just change out the ink, possibly run a flush, and you're ready to go.

Q4:How is your ink quality?

A:All of our inks are developed in our on-site lab which enables us to design and manufacture inks and fluids for the most difficult applications. We use only the highest quality dyes, pigments and materials in our inks.Our Custom ink successfully cover the most demanding manufacturing requirements. Our dye-based CIJ inks is suitable for most applications and is available in a vast range of solvents and colors.

Q5:How many colors of your ink?

A:We can produce the ink according to your request , and customize your color of ink, and make your own private label.

Our soft-pigmented CIJ inks deliver codes in intense colors such as yellow, red, and green, using a standard printer.

Q6:What is main priority of your ink?

A:At cheef Ink we possess a well-equipped Research and Development facility alongside substantial internal resources to offer custom-made products for specific applications.

DOD inks are carefully formulated using a four-stage filtration process, ensuring no sediment, sludge or residue. This minimizes print head maintenance and results in less downtime.

Cheef ink takes great pride in the high-quality, innovative ink solutions we've developed using our tested and proved R&D process methodology. Special ink applications include:UN-erased glass inks,high adhesion ink on PPR,PE pipe,High temperature ink,Non-transfer inks for cable and wire printing,Custom ink development for special applications,Hard pigmented white, blue and green inks

Q8:For the first time ,how can I trust you?

A:Firstly,we think trust are built by little and little, for the first time, you can try a little sample from us, to check our ink quality and check our service,and after the experience, we believe you will like us and be willing to let us be your partner,the most important thing is ,we think business is for long time, not just only once,so ,every client , we treat them as our long time cooperater, it is our company culture.Just contact us now to try it.

Q9:Except products, what you can provide with us?

A:Our engineers are available with 24-hours hot-line to give you technical assist, we can solve issues within a wide area ranging from the traditional printing or marking methods to providing high-tech ink-jet fluids,characterization and optimization of various properties including print quality and functional performance.

Q10:How we can contact you?

A:You can give us inquiry as below on alibaba, or contact us by below method.

How to contact us

**RETURN
HOME**

**IF YOU WANT TO CHECK OUR HOME PAGE
PLEASE CLICK HERE.**

CONTACT US AND INQUIRY NOW



86-512-6281-0865



86-512-6730-1180



86-138-620-19623



SALES@CHEEF.CN